


KCEP Kazcentrelectroprovod LLP 1 <A>, Makarenko st. KZ-M22D3A8 Saran, Karaganda region, Kasachstan		<h1>Jetting Report</h1>		KCEP
Project-#	KCEP Cable blowing test	Date: 10/29/19		
Trace Section	V6-12F_D2.6			
Company name	KCEP	Operator: A. Zoller		
Remarks	Blowing in process successful			
Duct specs		Cable specs		Devices
Manufacturer: Gabocom		Manufacturer: KCEP		Jetting machine: I-Microjet (SN#80040)
Duct type: 7x1,5 (7/4)		Designation: A-DQ(ZN)2Y-12-G.652.D-UCF-0,075-7203		+ Slipping clutch [X] + Lubricator []
Duct assy: 1 x 1250 m in 50x4.6		Cable Ø: 2.6 mm	Fiber amount: 12	Lubricant: MicroJetting Lube
Color/marks: 2x Orange		Reel Nb.: 006		Compressor: MK 17
Inner design: Grooved		Metering: Start: 1495 m End: 230 m		+ Oil separator [X] + aftercooler [X]
Duct temperature: 5 °C		Cable temperature: 11 °C		Cable Tap type: [X]
Summary:	Max pushforce: 25 N (Measured by the crashtest)			
Trace distance: 1260.1 m	Weather: 13.8 °C, 62.7 % humidity.		Jetting temperature: 8.2 °C	
Jetting duration: 00:17:35	Operating mode: Recording only		GPS Location: 47.6321°; 8.5795°; 413 m	

Operation chart



List of highlights (Entire table on the following pages)

Length [m]	Pushing force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
0.0	0.0	0.0	0.0	00:00:00	Start (10:07)
1260.1	0.3	13.7	2.0	00:17:35	Stop (10:25)

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
0.0	0.0	0.0	0.0	00:00:00	Start (10:07)
1.0	11.7	0.0	16.3	00:00:02	
2.0	19.3	0.0	43.0	00:00:04	
3.0	19.3	0.0	55.6	00:00:05	
4.0	21.6	0.0	62.5	00:00:06	
5.0	22.4	0.0	69.1	00:00:07	
6.0	23.3	0.0	72.8	00:00:07	
7.0	24.7	0.0	77.2	00:00:08	
8.0	24.8	0.0	79.9	00:00:09	
9.0	24.5	0.0	81.8	00:00:10	
10.0	24.2	0.0	82.3	00:00:10	
11.0	23.9	0.0	82.7	00:00:11	
12.0	23.2	0.0	81.7	00:00:12	
13.0	23.1	0.0	81.0	00:00:13	
14.0	23.1	0.0	81.0	00:00:13	
15.0	23.1	0.0	81.0	00:00:14	
16.0	23.1	0.0	81.0	00:00:15	
17.0	23.2	0.0	81.0	00:00:16	
18.0	23.0	0.4	81.1	00:00:16	
19.0	23.1	0.6	81.1	00:00:17	
20.0	23.1	0.7	81.0	00:00:18	
21.0	23.1	0.7	81.0	00:00:19	
22.0	23.2	0.7	80.9	00:00:19	
23.0	23.2	0.7	81.0	00:00:20	
24.0	23.3	0.7	80.8	00:00:21	
25.0	23.3	0.7	80.8	00:00:22	
26.0	23.4	0.7	80.6	00:00:22	
27.0	23.4	0.7	80.6	00:00:23	
28.0	23.4	0.7	80.6	00:00:24	
29.0	23.6	0.7	80.4	00:00:25	
30.0	23.7	0.7	80.3	00:00:25	
31.0	23.7	0.7	80.1	00:00:26	
32.0	23.8	0.7	80.0	00:00:27	
33.0	24.0	0.7	79.8	00:00:28	
34.0	24.2	0.7	79.6	00:00:28	
35.0	24.4	0.7	79.2	00:00:29	
36.0	24.4	0.7	79.2	00:00:30	
37.0	24.6	0.7	78.9	00:00:31	
38.0	25.0	0.7	79.2	00:00:31	
39.0	25.0	0.7	79.1	00:00:32	
40.0	25.0	0.8	78.9	00:00:33	
41.0	25.0	1.0	78.9	00:00:34	
42.0	25.0	1.0	78.9	00:00:34	
43.0	25.0	1.0	79.4	00:00:35	
44.0	25.0	1.0	80.5	00:00:36	
45.0	25.0	1.0	80.6	00:00:37	
46.0	25.0	1.0	80.4	00:00:37	
47.0	25.0	1.0	80.0	00:00:38	
48.0	25.0	1.0	80.3	00:00:39	
49.0	25.0	1.0	80.4	00:00:40	
50.0	25.0	1.1	80.3	00:00:40	
51.0	25.0	1.0	80.1	00:00:41	
52.0	25.0	1.0	80.1	00:00:42	
53.0	25.0	1.0	79.9	00:00:43	
54.0	25.0	1.0	79.9	00:00:43	
55.0	25.0	1.0	79.9	00:00:44	
56.0	25.0	1.0	79.8	00:00:45	
57.0	25.0	1.0	79.8	00:00:46	
58.0	25.0	1.0	80.0	00:00:46	
59.0	25.0	1.0	79.8	00:00:47	
60.0	25.0	1.0	79.7	00:00:48	
61.0	25.0	1.0	79.6	00:00:49	
62.0	25.0	1.0	79.8	00:00:49	
63.0	25.0	1.0	79.6	00:00:50	
64.0	25.0	1.0	79.4	00:00:51	
65.0	25.0	1.0	79.4	00:00:52	
66.0	25.0	1.0	79.4	00:00:52	
67.0	25.0	1.0	79.4	00:00:53	
68.0	25.0	1.0	79.4	00:00:54	
69.0	25.0	1.0	79.0	00:00:55	
70.0	25.0	1.0	78.9	00:00:55	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
71.0	25.0	1.0	78.8	00:00:56	
72.0	25.0	1.0	78.3	00:00:57	
73.0	25.0	1.0	77.8	00:00:58	
74.0	25.0	1.0	78.3	00:00:58	
75.0	25.0	1.0	78.1	00:00:59	
76.0	25.0	1.1	77.6	00:01:00	
77.0	25.0	1.2	77.4	00:01:01	
78.0	25.0	1.4	77.7	00:01:02	
79.0	25.0	1.4	78.2	00:01:02	
80.0	25.0	1.5	77.9	00:01:03	
81.0	25.0	1.5	78.2	00:01:04	
82.0	25.0	1.5	78.1	00:01:05	
83.0	25.0	1.5	78.0	00:01:05	
84.0	25.0	1.5	77.9	00:01:06	
85.0	25.0	1.5	78.2	00:01:07	
86.0	25.0	1.5	78.3	00:01:08	
87.0	25.0	1.5	77.9	00:01:08	
88.0	25.0	1.5	77.4	00:01:09	
89.0	25.0	1.5	77.6	00:01:10	
90.0	25.0	1.5	77.6	00:01:11	
91.0	25.0	1.5	77.2	00:01:12	
92.0	25.0	1.5	76.8	00:01:12	
93.0	25.0	1.5	76.2	00:01:13	
94.0	25.0	1.5	75.7	00:01:14	
95.0	25.0	1.6	75.7	00:01:15	
96.0	25.0	1.9	76.6	00:01:16	
97.0	25.0	2.0	77.5	00:01:16	
98.0	25.0	2.0	77.9	00:01:17	
99.0	25.0	2.0	78.1	00:01:18	
100.0	25.0	2.0	78.1	00:01:19	
101.0	25.0	2.0	77.9	00:01:19	
102.0	25.0	2.0	77.5	00:01:20	
103.0	25.0	2.0	77.4	00:01:21	
104.0	25.0	2.0	77.4	00:01:22	
105.0	25.0	2.0	77.2	00:01:22	
106.0	25.0	2.0	77.1	00:01:23	
107.0	25.0	2.0	76.6	00:01:24	
108.0	25.0	2.0	76.5	00:01:25	
109.0	25.0	2.0	76.5	00:01:26	
110.0	25.0	2.0	76.1	00:01:26	
111.0	25.0	2.0	76.0	00:01:27	
112.0	25.0	2.0	75.8	00:01:28	
113.0	25.0	2.0	75.6	00:01:29	
114.0	25.0	2.0	76.1	00:01:29	
115.0	25.0	2.1	76.1	00:01:30	
116.0	25.0	2.2	76.7	00:01:31	
117.0	25.0	2.3	77.6	00:01:32	
118.0	25.0	2.3	78.1	00:01:33	
119.0	25.0	2.3	78.4	00:01:33	
120.0	25.0	2.3	78.5	00:01:34	
121.0	25.0	2.3	78.7	00:01:35	
122.0	25.0	2.3	79.8	00:01:36	
123.0	25.0	2.3	80.0	00:01:36	
124.0	25.0	2.3	79.7	00:01:37	
125.0	25.0	2.3	79.6	00:01:38	
126.0	25.0	2.3	79.6	00:01:39	
127.0	25.0	2.3	79.3	00:01:39	
128.0	25.0	2.3	79.4	00:01:40	
129.0	25.0	2.3	79.4	00:01:41	
130.0	25.0	2.3	79.1	00:01:42	
131.0	25.0	2.3	79.2	00:01:43	
132.0	25.0	2.3	79.0	00:01:43	
133.0	25.0	2.3	79.1	00:01:44	
134.0	25.0	2.3	79.3	00:01:45	
135.0	25.0	2.3	78.9	00:01:46	
136.0	25.0	2.3	78.9	00:01:46	
137.0	25.0	2.3	78.6	00:01:47	
138.0	25.0	2.3	78.5	00:01:48	
139.0	25.0	2.3	79.5	00:01:49	
140.0	25.0	2.3	79.6	00:01:49	
141.0	25.0	2.3	79.6	00:01:50	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
142.0	25.0	2.3	79.5	00:01:51	
143.0	25.0	2.3	78.9	00:01:52	
144.0	25.0	2.4	78.1	00:01:52	
145.0	25.0	2.4	78.0	00:01:53	
146.0	25.0	2.4	77.9	00:01:54	
147.0	25.0	2.5	77.8	00:01:55	
148.0	25.0	2.6	77.5	00:01:55	
149.0	25.0	2.7	77.4	00:01:56	
150.0	25.0	2.7	77.7	00:01:57	
151.0	25.0	2.7	78.0	00:01:58	
152.0	25.0	2.7	77.9	00:01:58	
153.0	25.0	2.7	77.8	00:01:59	
154.0	25.0	2.7	78.2	00:02:00	
155.0	25.0	2.7	78.6	00:02:01	
156.0	25.0	2.7	78.5	00:02:02	
157.0	25.0	2.7	78.7	00:02:02	
158.0	25.0	2.8	79.2	00:02:03	
159.0	25.0	2.8	79.6	00:02:04	
160.0	25.0	2.8	80.2	00:02:05	
161.0	25.0	2.8	80.2	00:02:05	
162.0	25.0	2.8	80.5	00:02:06	
163.0	25.0	2.8	80.3	00:02:07	
164.0	25.0	2.8	79.9	00:02:08	
165.0	25.0	2.8	79.4	00:02:08	
166.0	25.0	2.8	79.2	00:02:09	
167.0	25.0	2.8	79.4	00:02:10	
168.0	25.0	2.8	79.5	00:02:11	
169.0	25.0	2.8	79.0	00:02:11	
170.0	25.0	2.8	79.1	00:02:12	
171.0	25.0	2.8	78.5	00:02:13	
172.0	25.0	2.8	77.4	00:02:14	
173.0	25.0	2.8	76.0	00:02:14	
174.0	25.0	2.8	74.9	00:02:15	
175.0	25.0	2.9	73.5	00:02:16	
176.0	25.0	3.0	72.9	00:02:17	
177.0	25.0	3.1	73.2	00:02:18	
178.0	25.0	3.4	73.7	00:02:18	
179.0	25.0	3.5	74.5	00:02:19	
180.0	25.0	3.5	76.2	00:02:20	
181.0	25.0	3.5	77.3	00:02:21	
182.0	25.0	3.5	78.1	00:02:22	
183.0	25.0	3.5	78.8	00:02:22	
184.0	25.0	3.5	79.3	00:02:23	
185.0	25.0	3.5	79.6	00:02:24	
186.0	25.0	3.5	78.0	00:02:25	
187.0	25.0	3.5	78.2	00:02:25	
188.0	25.0	3.5	79.7	00:02:26	
189.0	25.0	3.5	81.3	00:02:27	
190.0	25.0	3.5	81.4	00:02:28	
191.0	25.0	3.5	81.1	00:02:28	
192.0	25.0	3.5	80.8	00:02:29	
193.0	25.0	3.5	80.9	00:02:30	
194.0	25.0	3.5	80.4	00:02:31	
195.0	25.0	3.5	80.0	00:02:31	
196.0	25.0	3.5	79.7	00:02:32	
197.0	25.0	3.5	79.4	00:02:33	
198.0	25.0	3.5	78.9	00:02:34	
199.0	25.0	3.5	78.3	00:02:34	
200.0	25.0	3.5	77.8	00:02:35	
201.0	25.0	3.5	76.6	00:02:36	
202.0	25.0	3.5	76.0	00:02:37	
203.0	25.0	3.5	75.6	00:02:38	
204.0	25.0	3.7	75.2	00:02:38	
205.0	25.0	3.8	75.2	00:02:39	
206.0	25.0	3.8	75.6	00:02:40	
207.0	25.0	3.9	76.6	00:02:41	
208.0	25.0	3.9	77.7	00:02:42	
209.0	25.0	3.9	78.7	00:02:42	
210.0	25.0	4.0	79.1	00:02:43	
211.0	25.0	4.0	79.7	00:02:44	
212.0	25.0	4.0	80.6	00:02:45	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
213.0	25.0	4.0	80.9	00:02:45	
214.0	25.0	4.0	78.7	00:02:46	
215.0	25.0	4.0	79.4	00:02:47	
216.0	25.0	4.0	81.4	00:02:48	
217.0	25.0	4.0	82.3	00:02:48	
218.0	25.0	4.0	82.7	00:02:49	
219.0	25.0	4.0	82.7	00:02:50	
220.0	25.0	4.0	82.5	00:02:50	
221.0	25.0	4.0	82.3	00:02:51	
222.0	25.0	4.0	82.4	00:02:52	
223.0	25.0	4.0	82.5	00:02:53	
224.0	25.0	4.0	82.4	00:02:53	
225.0	25.0	4.0	82.5	00:02:54	
226.0	25.0	4.0	82.5	00:02:55	
227.0	25.0	4.0	82.6	00:02:56	
228.0	25.0	4.0	82.9	00:02:56	
229.0	25.0	4.0	83.0	00:02:57	
230.0	25.0	4.0	83.0	00:02:58	
231.0	25.0	4.0	82.8	00:02:58	
232.0	25.0	4.0	82.7	00:02:59	
233.0	25.0	4.0	82.6	00:03:00	
234.0	25.0	4.0	82.0	00:03:01	
235.0	25.0	4.0	78.1	00:03:01	
236.0	25.0	4.0	79.1	00:03:02	
237.0	25.0	4.0	81.1	00:03:03	
238.0	25.0	4.0	81.2	00:03:04	
239.0	25.0	4.0	80.6	00:03:04	
240.0	25.0	4.0	79.9	00:03:05	
241.0	25.0	4.0	79.5	00:03:06	
242.0	25.0	4.0	78.9	00:03:07	
243.0	25.0	4.0	78.2	00:03:07	
244.0	25.0	4.0	77.5	00:03:08	
245.0	25.0	4.0	76.6	00:03:09	
246.0	25.0	4.0	75.7	00:03:10	
247.0	25.0	4.0	74.4	00:03:11	
248.0	25.0	4.0	73.1	00:03:11	
249.0	25.0	4.2	72.2	00:03:12	
250.0	25.0	4.3	71.7	00:03:13	
251.0	25.0	4.3	72.0	00:03:14	
252.0	25.0	4.4	73.1	00:03:15	
253.0	25.0	4.4	74.1	00:03:16	
254.0	25.0	4.4	75.5	00:03:16	
255.0	25.0	4.4	76.9	00:03:17	
256.0	25.0	4.4	75.9	00:03:18	
257.0	25.0	4.4	76.1	00:03:19	
258.0	25.0	4.4	77.8	00:03:20	
259.0	25.0	4.4	80.1	00:03:20	
260.0	25.0	4.4	81.3	00:03:21	
261.0	25.0	4.4	81.8	00:03:22	
262.0	25.0	4.5	82.0	00:03:22	
263.0	25.0	4.4	82.0	00:03:23	
264.0	25.0	4.4	82.3	00:03:24	
265.0	25.0	4.4	82.2	00:03:25	
266.0	25.0	4.4	82.3	00:03:25	
267.0	25.0	4.5	82.2	00:03:26	
268.0	25.0	4.4	81.8	00:03:27	
269.0	25.0	4.4	81.4	00:03:28	
270.0	25.0	4.4	81.0	00:03:28	
271.0	25.0	4.4	80.1	00:03:29	
272.0	25.0	4.4	78.8	00:03:30	
273.0	25.0	4.4	77.1	00:03:31	
274.0	25.0	4.4	75.7	00:03:31	
275.0	25.0	4.4	74.0	00:03:32	
276.0	25.0	4.4	72.3	00:03:33	
277.0	25.0	4.4	70.9	00:03:34	
278.0	25.0	4.7	68.9	00:03:35	
279.0	25.0	4.8	66.8	00:03:36	
280.0	25.0	4.8	65.8	00:03:37	
281.0	25.0	4.8	66.0	00:03:37	
282.0	25.0	4.8	66.4	00:03:38	
283.0	25.0	4.8	67.1	00:03:39	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
284.0	25.0	4.9	68.8	00:03:40	
285.0	25.0	4.9	70.8	00:03:41	
286.0	25.0	4.9	72.9	00:03:42	
287.0	25.0	4.9	74.5	00:03:43	
288.0	25.0	4.9	76.1	00:03:43	
289.0	25.0	4.9	77.6	00:03:44	
290.0	25.0	4.9	78.9	00:03:45	
291.0	25.0	4.9	77.8	00:03:46	
292.0	25.0	4.9	76.4	00:03:47	
293.0	25.0	4.9	77.4	00:03:47	
294.0	25.0	4.9	78.1	00:03:48	
295.0	25.0	4.9	78.5	00:03:49	
296.0	25.0	4.9	78.1	00:03:50	
297.0	25.0	4.9	77.7	00:03:50	
298.0	25.0	4.9	77.5	00:03:51	
299.0	25.0	4.9	77.0	00:03:52	
300.0	25.0	4.9	76.4	00:03:53	
301.0	25.0	4.9	75.7	00:03:54	
302.0	25.0	4.9	75.0	00:03:54	
303.0	25.0	4.9	74.5	00:03:55	
304.0	25.0	4.9	73.7	00:03:56	
305.0	25.0	4.9	73.2	00:03:57	
306.0	25.0	4.9	72.6	00:03:58	
307.0	25.0	4.9	72.0	00:03:58	
308.0	25.0	4.9	71.9	00:03:59	
309.0	25.0	5.1	72.1	00:04:00	
310.0	25.0	5.2	72.3	00:04:01	
311.0	25.0	5.3	73.0	00:04:02	
312.0	25.0	5.3	74.0	00:04:02	
313.0	25.0	5.4	75.7	00:04:03	
314.0	25.0	5.4	77.2	00:04:04	
315.0	25.0	5.4	78.7	00:04:05	
316.0	25.0	5.5	80.1	00:04:06	
317.0	25.0	5.5	81.5	00:04:06	
318.0	25.0	5.5	82.1	00:04:07	
319.0	25.0	5.5	82.5	00:04:08	
320.0	25.0	5.5	79.1	00:04:09	
321.0	25.0	5.5	70.0	00:04:09	
322.0	25.0	5.5	75.2	00:04:10	
323.0	25.0	5.5	80.7	00:04:11	
324.0	25.0	5.5	83.3	00:04:12	
325.0	25.0	5.5	83.7	00:04:12	
326.0	25.0	5.5	83.5	00:04:13	
327.0	25.0	5.5	83.8	00:04:14	
328.0	25.0	5.5	83.8	00:04:14	
329.0	25.0	5.5	83.8	00:04:15	
330.0	25.0	5.5	83.8	00:04:16	
331.0	25.0	5.5	84.0	00:04:17	
332.0	25.0	5.5	84.0	00:04:17	
333.0	25.0	5.5	83.9	00:04:18	
334.0	25.0	5.5	83.9	00:04:19	
335.0	25.0	5.5	83.7	00:04:20	
336.0	25.0	5.5	83.5	00:04:20	
337.0	25.0	5.5	83.3	00:04:21	
338.0	25.0	5.5	83.1	00:04:22	
339.0	25.0	5.5	82.8	00:04:22	
340.0	25.0	5.5	82.9	00:04:23	
341.0	25.0	5.5	82.6	00:04:24	
342.0	25.0	5.5	82.3	00:04:25	
343.0	25.0	5.5	82.2	00:04:25	
344.0	25.0	5.5	81.7	00:04:26	
345.0	25.0	5.5	81.3	00:04:27	
346.0	25.0	5.5	80.9	00:04:28	
347.0	25.0	5.5	80.7	00:04:28	
348.0	25.0	5.5	80.7	00:04:29	
349.0	25.0	5.5	80.8	00:04:30	
350.0	25.0	5.5	80.5	00:04:31	
351.0	25.0	5.5	80.4	00:04:31	
352.0	25.0	5.5	80.3	00:04:32	
353.0	25.0	5.5	80.1	00:04:33	
354.0	25.0	5.5	79.7	00:04:34	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
355.0	25.0	5.5	79.9	00:04:34	
356.0	25.0	5.5	80.1	00:04:35	
357.0	25.0	5.5	80.1	00:04:36	
358.0	25.0	5.5	80.0	00:04:37	
359.0	25.0	5.5	79.7	00:04:37	
360.0	25.0	5.5	79.9	00:04:38	
361.0	25.0	5.5	80.1	00:04:39	
362.0	25.0	5.5	79.7	00:04:40	
363.0	25.0	5.5	79.4	00:04:40	
364.0	25.0	5.5	79.4	00:04:41	
365.0	25.0	5.5	79.3	00:04:42	
366.0	25.0	5.5	78.9	00:04:43	
367.0	25.0	5.5	78.4	00:04:43	
368.0	25.0	5.5	78.2	00:04:44	
369.0	25.0	5.5	77.9	00:04:45	
370.0	25.0	5.5	77.3	00:04:46	
371.0	25.0	5.5	76.4	00:04:46	
372.0	25.0	5.5	74.6	00:04:47	
373.0	25.0	5.5	72.8	00:04:48	
374.0	25.0	5.6	70.2	00:04:49	
375.0	25.0	5.8	68.0	00:04:50	
376.0	25.0	5.9	66.2	00:04:51	
377.0	25.0	5.9	64.1	00:04:52	
378.0	25.0	6.0	61.9	00:04:53	
379.0	25.0	6.0	61.0	00:04:54	
380.0	25.0	6.0	60.7	00:04:55	
381.0	25.0	6.1	61.4	00:04:56	
382.0	25.0	6.1	62.0	00:04:57	
383.0	25.0	6.2	63.5	00:04:57	
384.0	25.0	6.2	65.8	00:04:58	
385.0	25.0	6.2	68.4	00:04:59	
386.0	25.0	6.2	70.4	00:05:00	
387.0	25.0	6.2	72.4	00:05:01	
388.0	25.0	6.2	75.1	00:05:02	
389.0	25.0	6.2	77.5	00:05:02	
390.0	25.0	6.2	79.5	00:05:03	
391.0	25.0	6.2	80.4	00:05:04	
392.0	25.0	6.2	81.0	00:05:05	
393.0	25.0	6.2	81.0	00:05:05	
394.0	25.0	6.2	81.0	00:05:06	
395.0	25.0	6.2	80.9	00:05:07	
396.0	25.0	6.2	80.4	00:05:08	
397.0	25.0	6.2	80.0	00:05:08	
398.0	25.0	6.2	79.5	00:05:09	
399.0	25.0	6.2	79.0	00:05:10	
400.0	25.0	6.2	78.4	00:05:11	
401.0	25.0	6.2	78.1	00:05:11	
402.0	25.0	6.2	78.0	00:05:12	
403.0	25.0	6.2	77.5	00:05:13	
404.0	25.0	6.2	77.1	00:05:14	
405.0	25.0	6.3	76.9	00:05:15	
406.0	25.0	6.4	77.2	00:05:15	
407.0	25.0	6.4	77.7	00:05:16	
408.0	25.0	6.4	78.5	00:05:17	
409.0	25.0	6.4	79.1	00:05:18	
410.0	25.0	6.4	79.9	00:05:18	
411.0	25.0	6.4	80.7	00:05:19	
412.0	25.0	6.4	81.2	00:05:20	
413.0	25.0	6.4	81.6	00:05:21	
414.0	25.0	6.4	81.9	00:05:21	
415.0	25.0	6.4	82.1	00:05:22	
416.0	25.0	6.4	82.2	00:05:23	
417.0	25.0	6.4	82.4	00:05:24	
418.0	25.0	6.4	82.4	00:05:24	
419.0	25.0	6.4	82.3	00:05:25	
420.0	25.0	6.4	82.4	00:05:26	
421.0	25.0	6.4	82.6	00:05:26	
422.0	25.0	6.4	82.2	00:05:27	
423.0	25.0	6.4	82.3	00:05:28	
424.0	25.0	6.4	82.4	00:05:29	
425.0	25.0	6.4	82.3	00:05:29	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
426.0	25.0	6.4	82.3	00:05:30	
427.0	25.0	6.4	82.1	00:05:31	
428.0	25.0	6.4	82.1	00:05:32	
429.0	25.0	6.4	81.8	00:05:32	
430.0	25.0	6.4	81.9	00:05:33	
431.0	25.0	6.4	82.0	00:05:34	
432.0	25.0	6.4	82.0	00:05:34	
433.0	25.0	6.4	81.9	00:05:35	
434.0	25.0	6.4	81.9	00:05:36	
435.0	25.0	6.4	81.8	00:05:37	
436.0	25.0	6.4	81.8	00:05:37	
437.0	25.0	6.4	81.6	00:05:38	
438.0	25.0	6.4	81.7	00:05:39	
439.0	25.0	6.4	81.5	00:05:40	
440.0	25.0	6.4	81.4	00:05:40	
441.0	25.0	6.4	81.2	00:05:41	
442.0	25.0	6.4	80.8	00:05:42	
443.0	25.0	6.4	80.6	00:05:43	
444.0	25.0	6.4	80.0	00:05:43	
445.0	25.0	6.5	79.5	00:05:44	
446.0	25.0	6.7	79.3	00:05:45	
447.0	25.0	6.7	79.2	00:05:46	
448.0	25.0	6.8	79.4	00:05:46	
449.0	25.0	6.8	79.9	00:05:47	
450.0	25.0	6.8	80.2	00:05:48	
451.0	25.0	6.8	80.4	00:05:49	
452.0	25.0	6.8	80.6	00:05:49	
453.0	25.0	6.8	80.9	00:05:50	
454.0	25.0	6.8	81.0	00:05:51	
455.0	25.0	6.8	81.3	00:05:52	
456.0	25.0	6.8	81.4	00:05:52	
457.0	25.0	6.8	81.7	00:05:53	
458.0	25.0	6.8	81.6	00:05:54	
459.0	25.0	6.8	81.4	00:05:55	
460.0	25.0	6.8	81.6	00:05:55	
461.0	25.0	6.8	81.5	00:05:56	
462.0	25.0	6.8	81.6	00:05:57	
463.0	25.0	6.8	81.6	00:05:57	
464.0	25.0	6.8	81.6	00:05:58	
465.0	25.0	6.8	81.4	00:05:59	
466.0	25.0	6.8	81.4	00:06:00	
467.0	25.0	6.8	81.3	00:06:00	
468.0	25.0	6.8	81.4	00:06:01	
469.0	25.0	6.8	81.2	00:06:02	
470.0	25.0	6.8	80.9	00:06:03	
471.0	25.0	6.8	80.5	00:06:03	
472.0	25.0	6.8	80.0	00:06:04	
473.0	25.0	6.9	79.5	00:06:05	
474.0	25.0	7.0	79.2	00:06:06	
475.0	25.0	7.1	79.1	00:06:06	
476.0	25.0	7.1	79.1	00:06:07	
477.0	25.0	7.1	78.5	00:06:08	
478.0	25.0	7.1	78.1	00:06:09	
479.0	25.0	7.1	78.2	00:06:09	
480.0	25.0	7.1	78.2	00:06:10	
481.0	25.0	7.1	78.2	00:06:11	
482.0	25.0	7.1	78.4	00:06:12	
483.0	25.0	7.1	79.2	00:06:13	
484.0	25.0	7.1	80.0	00:06:13	
485.0	25.0	7.1	80.2	00:06:14	
486.0	25.0	7.1	80.3	00:06:15	
487.0	25.0	7.1	80.4	00:06:16	
488.0	25.0	7.1	80.6	00:06:16	
489.0	25.0	7.1	80.5	00:06:17	
490.0	25.0	7.1	80.5	00:06:18	
491.0	25.0	7.1	80.3	00:06:19	
492.0	25.0	7.1	80.1	00:06:19	
493.0	25.0	7.1	80.2	00:06:20	
494.0	25.0	7.1	80.2	00:06:21	
495.0	25.0	7.1	80.3	00:06:21	
496.0	25.0	7.1	80.3	00:06:22	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
497.0	25.0	7.1	79.9	00:06:23	
498.0	25.0	7.2	79.4	00:06:24	
499.0	25.0	7.2	79.0	00:06:25	
500.0	25.0	7.2	78.9	00:06:25	
501.0	25.0	7.2	79.0	00:06:26	
502.0	25.0	7.2	78.8	00:06:27	
503.0	25.0	7.2	78.8	00:06:28	
504.0	25.0	7.2	78.8	00:06:28	
505.0	25.0	7.2	79.3	00:06:29	
506.0	25.0	7.2	79.7	00:06:30	
507.0	25.0	7.2	79.7	00:06:31	
508.0	25.0	7.2	79.8	00:06:31	
509.0	25.0	7.2	79.9	00:06:32	
510.0	25.0	7.2	80.1	00:06:33	
511.0	25.0	7.3	79.9	00:06:34	
512.0	25.0	7.4	80.0	00:06:34	
513.0	25.0	7.5	80.4	00:06:35	
514.0	25.0	7.6	80.8	00:06:36	
515.0	25.0	7.6	81.0	00:06:36	
516.0	25.0	7.6	81.2	00:06:37	
517.0	25.0	7.6	81.3	00:06:38	
518.0	25.0	7.6	81.3	00:06:39	
519.0	25.0	7.6	81.4	00:06:39	
520.0	25.0	7.6	81.5	00:06:40	
521.0	25.0	7.6	81.5	00:06:41	
522.0	25.0	7.6	81.4	00:06:42	
523.0	25.0	7.6	81.6	00:06:42	
524.0	25.0	7.6	81.3	00:06:43	
525.0	25.0	7.6	81.6	00:06:44	
526.0	25.0	7.6	81.5	00:06:45	
527.0	25.0	7.6	81.6	00:06:45	
528.0	25.0	7.6	81.5	00:06:46	
529.0	25.0	7.6	81.5	00:06:47	
530.0	25.0	7.6	81.7	00:06:48	
531.0	25.0	7.6	81.7	00:06:48	
532.0	25.0	7.6	81.5	00:06:49	
533.0	25.0	7.6	81.6	00:06:50	
534.0	25.0	7.6	81.6	00:06:51	
535.0	25.0	7.6	81.8	00:06:51	
536.0	25.0	7.6	81.6	00:06:52	
537.0	25.0	7.6	81.4	00:06:53	
538.0	25.0	7.6	81.4	00:06:54	
539.0	25.0	7.6	81.5	00:06:54	
540.0	25.0	7.6	81.5	00:06:55	
541.0	25.0	7.6	81.3	00:06:56	
542.0	25.0	7.6	81.1	00:06:56	
543.0	25.0	7.6	80.9	00:06:57	
544.0	25.0	7.6	80.9	00:06:58	
545.0	25.0	7.6	80.8	00:06:59	
546.0	25.0	7.6	80.7	00:06:59	
547.0	25.0	7.6	80.4	00:07:00	
548.0	25.0	7.6	80.3	00:07:01	
549.0	25.0	7.6	80.2	00:07:02	
550.0	25.0	7.6	80.0	00:07:02	
551.0	25.0	7.6	79.8	00:07:03	
552.0	25.0	7.6	79.8	00:07:04	
553.0	25.0	7.6	79.5	00:07:05	
554.0	25.0	7.6	79.3	00:07:05	
555.0	25.0	7.6	77.6	00:07:06	
556.0	25.0	7.6	71.8	00:07:07	
557.0	25.0	7.6	46.6	00:07:09	
558.0	25.0	7.9	24.4	00:07:11	
559.0	25.0	7.9	44.5	00:07:12	
560.0	25.0	8.0	56.4	00:07:13	
561.0	25.0	8.2	66.1	00:07:14	
562.0	25.0	8.2	72.4	00:07:15	
563.0	25.0	8.2	77.1	00:07:16	
564.0	25.0	8.2	71.0	00:07:16	
565.0	25.0	8.2	31.9	00:07:19	
566.0	25.0	8.1	49.9	00:07:20	
567.0	25.0	8.1	64.1	00:07:21	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
568.0	25.0	8.1	70.9	00:07:22	
569.0	25.0	8.2	48.1	00:07:23	
570.0	25.0	8.1	29.6	00:07:25	
571.0	25.0	8.1	23.9	00:07:28	
572.0	25.0	7.9	32.5	00:07:30	
573.0	25.0	7.8	50.2	00:07:31	
574.0	25.0	7.8	61.2	00:07:32	
575.0	25.0	7.8	68.4	00:07:33	
576.0	25.0	7.8	72.0	00:07:34	
577.0	25.0	7.8	74.4	00:07:34	
578.0	25.0	7.8	75.3	00:07:35	
579.0	25.0	7.7	75.6	00:07:36	
580.0	25.0	7.7	75.4	00:07:37	
581.0	25.0	7.7	75.3	00:07:38	
582.0	25.0	7.7	75.0	00:07:38	
583.0	25.0	7.7	74.8	00:07:39	
584.0	25.0	7.7	74.6	00:07:40	
585.0	25.0	7.7	74.2	00:07:41	
586.0	25.0	7.7	73.7	00:07:42	
587.0	25.0	7.7	73.3	00:07:43	
588.0	25.0	7.7	72.8	00:07:43	
589.0	25.0	7.7	72.4	00:07:44	
590.0	25.0	7.7	72.2	00:07:45	
591.0	25.0	7.7	72.0	00:07:46	
592.0	25.0	7.7	71.5	00:07:47	
593.0	25.0	7.7	71.0	00:07:48	
594.0	25.0	7.7	70.4	00:07:48	
595.0	25.0	7.7	69.8	00:07:49	
596.0	25.0	7.7	69.0	00:07:50	
597.0	25.0	7.7	68.3	00:07:51	
598.0	25.0	7.7	67.7	00:07:52	
599.0	25.0	7.7	67.1	00:07:53	
600.0	25.0	7.7	66.1	00:07:54	
601.0	25.0	7.7	64.9	00:07:55	
602.0	25.0	7.7	63.6	00:07:56	
603.0	25.0	7.7	62.5	00:07:56	
604.0	25.0	7.7	61.7	00:07:57	
605.0	25.0	7.7	61.2	00:07:58	
606.0	25.0	7.7	60.7	00:07:59	
607.0	25.0	7.7	60.1	00:08:00	
608.0	25.0	7.7	59.4	00:08:01	
609.0	25.0	7.7	58.7	00:08:02	
610.0	25.0	7.7	58.1	00:08:03	
611.0	25.0	7.7	57.9	00:08:04	
612.0	25.0	7.8	57.4	00:08:06	
613.0	25.0	7.8	57.3	00:08:07	
614.0	25.0	7.8	57.7	00:08:08	
615.0	25.0	7.8	58.2	00:08:09	
616.0	25.0	7.8	59.0	00:08:10	
617.0	25.0	7.8	59.9	00:08:11	
618.0	25.0	7.8	60.9	00:08:12	
619.0	25.0	7.8	61.7	00:08:13	
620.0	25.0	7.8	62.4	00:08:14	
621.0	25.0	7.9	63.5	00:08:15	
622.0	25.0	8.0	64.5	00:08:15	
623.0	25.0	8.0	65.9	00:08:16	
624.0	25.0	8.0	66.7	00:08:17	
625.0	25.0	8.0	67.7	00:08:18	
626.0	25.0	8.0	68.4	00:08:19	
627.0	25.0	8.0	69.2	00:08:20	
628.0	25.0	8.0	69.6	00:08:21	
629.0	25.0	8.0	70.1	00:08:22	
630.0	25.0	8.0	70.2	00:08:22	
631.0	25.0	8.0	70.4	00:08:23	
632.0	25.0	8.0	70.3	00:08:24	
633.0	25.0	8.0	70.4	00:08:25	
634.0	25.0	8.0	70.5	00:08:26	
635.0	25.0	8.0	70.5	00:08:27	
636.0	25.0	8.0	70.3	00:08:28	
637.0	25.0	8.0	69.7	00:08:28	
638.0	25.0	8.0	69.3	00:08:29	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
639.0	25.0	8.0	69.1	00:08:30	
640.0	25.0	8.0	68.8	00:08:31	
641.0	25.0	8.0	68.5	00:08:32	
642.0	25.0	8.0	68.1	00:08:33	
643.0	25.0	8.0	67.5	00:08:34	
644.0	25.0	8.0	66.8	00:08:35	
645.0	25.0	8.0	65.8	00:08:36	
646.0	25.0	8.0	65.0	00:08:36	
647.0	25.0	8.0	64.2	00:08:37	
648.0	25.0	8.2	63.6	00:08:38	
649.0	25.0	8.2	63.6	00:08:39	
650.0	25.0	8.2	63.6	00:08:40	
651.0	25.0	8.2	64.3	00:08:41	
652.0	25.0	8.2	65.1	00:08:42	
653.0	25.0	8.2	66.2	00:08:43	
654.0	25.0	8.2	67.3	00:08:44	
655.0	25.0	8.2	68.1	00:08:45	
656.0	25.0	8.2	68.7	00:08:46	
657.0	25.0	8.2	69.4	00:08:47	
658.0	25.0	8.2	70.2	00:08:47	
659.0	25.0	8.3	70.6	00:08:48	
660.0	25.0	8.3	70.8	00:08:49	
661.0	25.0	8.3	71.2	00:08:50	
662.0	25.0	8.4	71.5	00:08:51	
663.0	25.0	8.4	71.7	00:08:52	
664.0	25.0	8.4	71.8	00:08:52	
665.0	25.0	8.4	72.0	00:08:53	
666.0	25.0	8.4	72.0	00:08:54	
667.0	25.0	8.4	71.9	00:08:55	
668.0	25.0	8.4	71.9	00:08:56	
669.0	25.0	8.4	71.8	00:08:57	
670.0	25.0	8.4	71.4	00:08:57	
671.0	25.0	8.4	71.0	00:08:58	
672.0	25.0	8.4	70.6	00:08:59	
673.0	25.0	8.4	70.8	00:09:00	
674.0	25.0	8.4	70.8	00:09:01	
675.0	25.0	8.4	70.4	00:09:02	
676.0	25.0	8.4	70.3	00:09:02	
677.0	25.0	8.4	70.1	00:09:03	
678.0	25.0	8.4	69.9	00:09:04	
679.0	25.0	8.4	69.7	00:09:05	
680.0	25.0	8.4	69.5	00:09:06	
681.0	25.0	8.4	69.3	00:09:07	
682.0	25.0	8.4	69.0	00:09:08	
683.0	25.0	8.4	68.6	00:09:09	
684.0	25.0	8.4	68.3	00:09:09	
685.0	25.0	8.4	68.0	00:09:10	
686.0	25.0	8.4	67.9	00:09:11	
687.0	25.0	8.4	67.5	00:09:12	
688.0	25.0	8.4	67.3	00:09:13	
689.0	25.0	8.4	66.9	00:09:14	
690.0	25.0	8.4	66.3	00:09:15	
691.0	25.0	8.4	65.9	00:09:16	
692.0	25.0	8.4	65.7	00:09:17	
693.0	25.0	8.4	65.1	00:09:18	
694.0	25.0	8.4	64.2	00:09:19	
695.0	25.0	8.4	63.7	00:09:19	
696.0	25.0	8.4	63.6	00:09:20	
697.0	25.0	8.4	63.3	00:09:21	
698.0	25.0	8.6	63.0	00:09:22	
699.0	25.0	8.6	62.7	00:09:23	
700.0	25.0	8.6	62.8	00:09:24	
701.0	25.0	8.6	63.0	00:09:25	
702.0	25.0	8.6	63.6	00:09:26	
703.0	25.0	8.6	64.0	00:09:27	
704.0	25.0	8.6	65.1	00:09:28	
705.0	25.0	8.6	65.7	00:09:29	
706.0	25.0	8.6	66.3	00:09:30	
707.0	25.0	8.6	66.6	00:09:31	
708.0	25.0	8.7	66.9	00:09:32	
709.0	25.0	8.8	67.2	00:09:32	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
710.0	25.0	8.8	67.9	00:09:33	
711.0	25.0	8.8	69.0	00:09:34	
712.0	25.0	8.8	70.0	00:09:35	
713.0	25.0	8.9	70.6	00:09:36	
714.0	25.0	8.9	71.2	00:09:37	
715.0	25.0	8.9	71.4	00:09:38	
716.0	25.0	8.9	71.8	00:09:38	
717.0	25.0	8.9	72.0	00:09:39	
718.0	25.0	9.0	72.4	00:09:40	
719.0	25.0	9.0	72.6	00:09:41	
720.0	25.0	9.0	72.9	00:09:42	
721.0	25.0	9.0	72.8	00:09:43	
722.0	25.0	9.0	72.8	00:09:43	
723.0	25.0	9.0	72.8	00:09:44	
724.0	25.0	9.0	73.0	00:09:45	
725.0	25.0	9.0	73.0	00:09:46	
726.0	25.0	9.0	72.9	00:09:47	
727.0	25.0	9.0	72.6	00:09:47	
728.0	25.0	9.0	72.5	00:09:48	
729.0	25.0	9.0	72.8	00:09:49	
730.0	25.0	9.0	72.6	00:09:50	
731.0	25.0	9.0	72.2	00:09:51	
732.0	25.0	9.0	72.4	00:09:52	
733.0	25.0	9.0	72.7	00:09:52	
734.0	25.0	9.0	72.8	00:09:53	
735.0	25.0	9.0	72.6	00:09:54	
736.0	25.0	9.0	72.6	00:09:55	
737.0	25.0	9.0	72.9	00:09:56	
738.0	25.0	9.0	72.8	00:09:57	
739.0	25.0	9.0	72.7	00:09:57	
740.0	25.0	9.0	72.5	00:09:58	
741.0	25.0	9.0	72.0	00:09:59	
742.0	25.0	9.0	71.7	00:10:00	
743.0	25.0	9.0	71.4	00:10:01	
744.0	25.0	9.0	71.2	00:10:02	
745.0	25.0	9.0	71.2	00:10:02	
746.0	25.0	9.0	71.1	00:10:03	
747.0	25.0	9.0	70.8	00:10:04	
748.0	25.0	9.0	70.4	00:10:05	
749.0	25.0	9.0	69.9	00:10:06	
750.0	25.0	9.0	69.6	00:10:07	
751.0	25.0	9.0	69.2	00:10:08	
752.0	25.0	9.0	68.9	00:10:08	
753.0	25.0	9.0	68.6	00:10:09	
754.0	25.0	9.0	68.3	00:10:10	
755.0	25.0	9.0	67.9	00:10:11	
756.0	25.0	9.0	67.6	00:10:12	
757.0	25.0	9.0	67.5	00:10:13	
758.0	25.0	9.2	67.3	00:10:14	
759.0	25.0	9.2	67.2	00:10:15	
760.0	25.0	9.3	67.5	00:10:16	
761.0	25.0	9.4	68.3	00:10:16	
762.0	25.0	9.5	69.2	00:10:17	
763.0	25.0	9.5	69.9	00:10:18	
764.0	25.0	9.5	70.5	00:10:19	
765.0	25.0	9.5	71.0	00:10:20	
766.0	25.0	9.5	71.8	00:10:21	
767.0	25.0	9.5	72.2	00:10:21	
768.0	25.0	9.5	72.5	00:10:22	
769.0	25.0	9.5	72.6	00:10:23	
770.0	25.0	9.5	72.8	00:10:24	
771.0	25.0	9.5	73.2	00:10:25	
772.0	25.0	9.5	73.7	00:10:26	
773.0	25.0	9.5	73.9	00:10:26	
774.0	25.0	9.5	74.0	00:10:27	
775.0	25.0	9.5	74.1	00:10:28	
776.0	25.0	9.5	74.4	00:10:29	
777.0	25.0	9.5	74.8	00:10:30	
778.0	25.0	9.5	75.2	00:10:30	
779.0	25.0	9.5	75.1	00:10:31	
780.0	25.0	9.6	75.2	00:10:32	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
781.0	25.0	9.6	75.4	00:10:33	
782.0	25.0	9.7	75.5	00:10:34	
783.0	25.0	9.7	75.7	00:10:34	
784.0	25.0	9.7	76.0	00:10:35	
785.0	25.0	9.7	76.3	00:10:36	
786.0	25.0	9.7	76.4	00:10:37	
787.0	25.0	9.7	76.2	00:10:38	
788.0	25.0	9.7	76.3	00:10:38	
789.0	25.0	9.7	76.4	00:10:39	
790.0	25.0	9.7	76.4	00:10:40	
791.0	25.0	9.7	76.4	00:10:41	
792.0	25.0	9.7	76.1	00:10:41	
793.0	25.0	9.7	76.0	00:10:42	
794.0	25.0	9.7	76.0	00:10:43	
795.0	25.0	9.7	75.9	00:10:44	
796.0	25.0	9.7	75.7	00:10:45	
797.0	25.0	9.7	76.0	00:10:45	
798.0	25.0	9.8	76.1	00:10:46	
799.0	25.0	9.9	76.1	00:10:47	
800.0	25.0	10.0	76.5	00:10:48	
801.0	25.0	10.0	76.7	00:10:49	
802.0	25.0	10.0	77.0	00:10:49	
803.0	25.0	10.0	77.2	00:10:50	
804.0	25.0	10.0	77.3	00:10:51	
805.0	25.0	10.0	77.3	00:10:52	
806.0	25.0	10.0	77.2	00:10:53	
807.0	25.0	10.0	77.1	00:10:53	
808.0	25.0	10.0	77.0	00:10:54	
809.0	25.0	10.0	77.1	00:10:55	
810.0	25.0	10.0	77.0	00:10:56	
811.0	25.0	10.0	76.9	00:10:56	
812.0	25.0	10.0	76.8	00:10:57	
813.0	25.0	10.0	76.7	00:10:58	
814.0	25.0	10.0	76.9	00:10:59	
815.0	25.0	10.0	76.8	00:11:00	
816.0	25.0	10.0	76.8	00:11:00	
817.0	25.0	10.0	77.1	00:11:01	
818.0	25.0	10.0	77.1	00:11:02	
819.0	25.0	10.0	76.8	00:11:03	
820.0	25.0	10.0	76.8	00:11:03	
821.0	25.0	10.0	76.6	00:11:04	
822.0	25.0	10.0	76.6	00:11:05	
823.0	25.0	10.0	76.6	00:11:06	
824.0	25.0	10.0	76.7	00:11:07	
825.0	25.0	10.0	76.5	00:11:07	
826.0	25.0	10.0	76.3	00:11:08	
827.0	25.0	10.0	76.1	00:11:09	
828.0	25.0	10.0	76.1	00:11:10	
829.0	25.0	10.0	75.8	00:11:10	
830.0	25.0	10.0	75.7	00:11:11	
831.0	25.0	10.0	75.5	00:11:12	
832.0	25.0	10.0	75.5	00:11:13	
833.0	25.0	10.0	75.4	00:11:14	
834.0	25.0	10.0	75.3	00:11:14	
835.0	25.0	10.0	75.1	00:11:15	
836.0	25.0	10.0	74.9	00:11:16	
837.0	25.0	10.0	75.0	00:11:17	
838.0	25.0	10.0	74.8	00:11:18	
839.0	25.0	10.0	74.8	00:11:18	
840.0	25.0	10.0	74.4	00:11:19	
841.0	25.0	10.1	74.3	00:11:20	
842.0	25.0	10.3	74.4	00:11:21	
843.0	25.0	10.4	75.0	00:11:22	
844.0	25.0	10.4	75.5	00:11:22	
845.0	25.0	10.5	75.9	00:11:23	
846.0	25.0	10.4	76.1	00:11:24	
847.0	25.0	10.5	76.1	00:11:25	
848.0	25.0	10.5	76.2	00:11:26	
849.0	25.0	10.5	76.5	00:11:26	
850.0	25.0	10.5	76.5	00:11:27	
851.0	25.0	10.5	76.3	00:11:28	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
852.0	25.0	10.5	76.2	00:11:29	
853.0	25.0	10.5	76.1	00:11:30	
854.0	25.0	10.5	76.0	00:11:30	
855.0	25.0	10.5	76.0	00:11:31	
856.0	25.0	10.5	75.9	00:11:32	
857.0	25.0	10.5	76.0	00:11:33	
858.0	25.0	10.5	76.2	00:11:33	
859.0	25.0	10.5	76.4	00:11:34	
860.0	25.0	10.5	76.5	00:11:35	
861.0	25.0	10.5	76.5	00:11:36	
862.0	25.0	10.5	76.4	00:11:37	
863.0	25.0	10.5	76.4	00:11:38	
864.0	25.0	10.5	76.5	00:11:38	
865.0	25.0	10.5	76.4	00:11:39	
866.0	25.0	10.5	76.2	00:11:40	
867.0	25.0	10.5	76.0	00:11:41	
868.0	25.0	10.5	75.9	00:11:41	
869.0	25.0	10.5	76.1	00:11:42	
870.0	25.0	10.5	75.9	00:11:43	
871.0	25.0	10.5	76.0	00:11:44	
872.0	25.0	10.5	75.9	00:11:45	
873.0	25.0	10.5	75.9	00:11:45	
874.0	25.0	10.5	76.0	00:11:46	
875.0	25.0	10.5	76.2	00:11:47	
876.0	25.0	10.5	75.9	00:11:48	
877.0	25.0	10.5	75.9	00:11:49	
878.0	25.0	10.5	75.6	00:11:49	
879.0	25.0	10.5	75.5	00:11:50	
880.0	25.0	10.5	75.5	00:11:51	
881.0	25.0	10.5	75.4	00:11:52	
882.0	25.0	10.5	75.1	00:11:52	
883.0	25.0	10.5	74.9	00:11:53	
884.0	25.0	10.5	74.7	00:11:54	
885.0	25.0	10.5	74.6	00:11:55	
886.0	25.0	10.5	74.2	00:11:56	
887.0	25.0	10.5	74.0	00:11:56	
888.0	25.0	10.5	73.9	00:11:57	
889.0	25.0	10.5	73.7	00:11:58	
890.0	25.0	10.5	73.5	00:11:59	
891.0	25.0	10.5	73.3	00:12:00	
892.0	25.0	10.5	73.1	00:12:01	
893.0	25.0	10.5	73.1	00:12:01	
894.0	25.0	10.5	73.1	00:12:02	
895.0	25.0	10.5	72.9	00:12:03	
896.0	25.0	10.5	72.7	00:12:04	
897.0	25.0	10.5	72.6	00:12:05	
898.0	25.0	10.5	72.4	00:12:05	
899.0	25.0	10.5	72.5	00:12:06	
900.0	25.0	10.5	72.4	00:12:07	
901.0	25.0	10.5	72.2	00:12:08	
902.0	25.0	10.5	72.3	00:12:09	
903.0	25.0	10.5	72.6	00:12:10	
904.0	25.0	10.5	72.7	00:12:10	
905.0	25.0	10.5	72.2	00:12:11	
906.0	25.0	10.6	71.8	00:12:12	
907.0	25.0	10.8	71.8	00:12:13	
908.0	25.0	11.0	72.2	00:12:14	
909.0	25.0	11.0	72.9	00:12:15	
910.0	25.0	11.0	73.3	00:12:15	
911.0	25.0	11.0	73.9	00:12:16	
912.0	25.0	11.0	74.5	00:12:17	
913.0	25.0	11.0	74.7	00:12:18	
914.0	25.0	11.0	74.9	00:12:19	
915.0	25.0	11.0	75.0	00:12:19	
916.0	25.0	11.0	75.0	00:12:20	
917.0	25.0	11.1	75.1	00:12:21	
918.0	25.0	11.2	75.4	00:12:22	
919.0	25.0	11.3	75.8	00:12:23	
920.0	25.0	11.4	76.2	00:12:23	
921.0	25.0	11.5	76.6	00:12:24	
922.0	25.0	11.5	76.8	00:12:25	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
923.0	25.0	11.5	76.9	00:12:26	
924.0	25.0	11.5	77.0	00:12:27	
925.0	25.0	11.5	77.0	00:12:27	
926.0	25.0	11.5	76.9	00:12:28	
927.0	25.0	11.5	76.7	00:12:29	
928.0	25.0	11.5	76.7	00:12:30	
929.0	25.0	11.6	76.8	00:12:31	
930.0	25.0	11.6	76.9	00:12:31	
931.0	25.0	11.7	77.0	00:12:32	
932.0	25.0	11.7	76.9	00:12:33	
933.0	25.0	11.7	76.9	00:12:34	
934.0	25.0	11.7	76.8	00:12:34	
935.0	25.0	11.7	76.9	00:12:35	
936.0	25.0	11.7	77.0	00:12:36	
937.0	25.0	11.7	77.1	00:12:37	
938.0	25.0	11.7	77.1	00:12:38	
939.0	25.0	11.7	77.0	00:12:38	
940.0	25.0	11.7	77.1	00:12:39	
941.0	25.0	11.7	77.0	00:12:40	
942.0	25.0	11.7	77.0	00:12:41	
943.0	25.0	11.7	77.2	00:12:41	
944.0	25.0	11.7	77.0	00:12:42	
945.0	25.0	11.7	77.1	00:12:43	
946.0	25.0	11.7	76.9	00:12:44	
947.0	25.0	11.7	76.9	00:12:45	
948.0	25.0	11.7	76.7	00:12:45	
949.0	25.0	11.7	76.7	00:12:46	
950.0	25.0	11.7	76.8	00:12:47	
951.0	25.0	11.7	76.8	00:12:48	
952.0	25.0	11.7	76.8	00:12:48	
953.0	25.0	11.7	77.0	00:12:49	
954.0	25.0	11.7	76.9	00:12:50	
955.0	25.0	11.7	76.9	00:12:51	
956.0	25.0	11.7	76.9	00:12:52	
957.0	25.0	11.7	76.9	00:12:52	
958.0	25.0	11.7	76.9	00:12:53	
959.0	25.0	11.7	76.8	00:12:54	
960.0	25.0	11.7	76.6	00:12:55	
961.0	25.0	11.7	76.3	00:12:55	
962.0	25.0	11.7	76.2	00:12:56	
963.0	25.0	11.7	76.0	00:12:57	
964.0	25.0	11.7	75.8	00:12:58	
965.0	25.0	11.7	75.8	00:12:59	
966.0	25.0	11.7	75.7	00:12:59	
967.0	25.0	11.7	75.5	00:13:00	
968.0	25.0	11.7	75.4	00:13:01	
969.0	25.0	11.7	75.3	00:13:02	
970.0	25.0	11.7	75.2	00:13:03	
971.0	25.0	11.8	75.5	00:13:03	
972.0	25.0	11.8	75.7	00:13:04	
973.0	25.0	11.8	75.7	00:13:05	
974.0	25.0	11.9	75.8	00:13:06	
975.0	25.0	11.9	75.8	00:13:07	
976.0	25.0	11.9	76.1	00:13:07	
977.0	25.0	11.9	76.3	00:13:08	
978.0	25.0	11.9	76.4	00:13:09	
979.0	25.0	11.9	76.2	00:13:10	
980.0	25.0	11.9	75.8	00:13:10	
981.0	25.0	11.9	75.7	00:13:11	
982.0	25.0	11.9	75.7	00:13:12	
983.0	25.0	11.9	75.7	00:13:13	
984.0	25.0	11.9	75.4	00:13:14	
985.0	25.0	11.9	75.4	00:13:14	
986.0	25.0	11.9	75.2	00:13:15	
987.0	25.0	11.9	75.4	00:13:16	
988.0	25.0	11.9	75.1	00:13:17	
989.0	25.0	11.9	75.0	00:13:18	
990.0	25.0	11.9	75.0	00:13:19	
991.0	25.0	11.9	75.2	00:13:19	
992.0	25.0	11.9	74.9	00:13:20	
993.0	25.0	11.9	75.2	00:13:21	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
994.0	25.0	11.9	75.1	00:13:22	
995.0	25.0	11.9	75.1	00:13:23	
996.0	25.0	11.9	75.1	00:13:23	
997.0	25.0	11.9	75.0	00:13:24	
998.0	25.0	11.9	74.7	00:13:25	
999.0	25.0	11.9	74.7	00:13:26	
1000.0	25.0	11.9	74.5	00:13:26	
1001.0	25.0	11.9	74.2	00:13:27	
1002.0	25.0	11.9	74.3	00:13:28	
1003.0	25.0	11.9	74.0	00:13:29	
1004.0	25.0	11.9	73.8	00:13:30	
1005.0	25.0	11.9	74.0	00:13:31	
1006.0	25.0	11.9	74.0	00:13:31	
1007.0	25.0	11.9	73.8	00:13:32	
1008.0	25.0	11.9	73.6	00:13:33	
1009.0	25.0	12.0	73.6	00:13:34	
1010.0	25.0	12.1	73.9	00:13:35	
1011.0	25.0	12.3	74.3	00:13:35	
1012.0	25.0	12.3	74.7	00:13:36	
1013.0	25.0	12.3	74.8	00:13:37	
1014.0	25.0	12.4	74.9	00:13:38	
1015.0	25.0	12.4	74.7	00:13:39	
1016.0	25.0	12.4	75.0	00:13:39	
1017.0	25.0	12.4	75.0	00:13:40	
1018.0	25.0	12.4	75.1	00:13:41	
1019.0	25.0	12.4	75.0	00:13:42	
1020.0	25.0	12.4	75.2	00:13:43	
1021.0	25.0	12.4	75.4	00:13:43	
1022.0	25.0	12.4	75.1	00:13:44	
1023.0	25.0	12.4	75.2	00:13:45	
1024.0	25.0	12.4	75.4	00:13:46	
1025.0	25.0	12.4	75.4	00:13:47	
1026.0	25.0	12.4	75.2	00:13:47	
1027.0	25.0	12.4	75.1	00:13:48	
1028.0	25.0	12.4	75.0	00:13:49	
1029.0	25.0	12.4	74.9	00:13:50	
1030.0	25.0	12.4	74.8	00:13:51	
1031.0	25.0	12.5	75.2	00:13:51	
1032.0	25.0	12.6	75.5	00:13:52	
1033.0	25.0	12.7	75.6	00:13:53	
1034.0	25.0	12.8	75.5	00:13:54	
1035.0	25.0	12.8	75.6	00:13:55	
1036.0	25.0	12.8	75.8	00:13:55	
1037.0	25.0	12.8	75.6	00:13:56	
1038.0	25.0	12.8	75.6	00:13:57	
1039.0	25.0	12.8	75.6	00:13:58	
1040.0	25.0	12.8	44.5	00:14:00	
1041.0	25.0	12.8	35.3	00:14:01	
1042.0	25.0	12.8	54.8	00:14:02	
1043.0	25.0	12.8	65.7	00:14:03	
1044.0	25.0	12.9	70.7	00:14:04	
1045.0	25.0	13.0	70.9	00:14:05	
1046.0	25.0	13.0	71.0	00:14:06	
1047.0	25.0	13.0	70.7	00:14:07	
1048.0	25.0	13.0	67.6	00:14:08	
1049.0	25.0	13.0	35.0	00:14:10	
1050.0	25.0	13.0	39.6	00:14:11	
1051.0	25.0	12.6	59.3	00:14:12	
1052.0	25.0	12.5	68.0	00:14:13	
1053.0	25.0	12.4	69.3	00:14:14	
1054.0	25.0	12.4	68.4	00:14:15	
1055.0	25.0	12.4	68.7	00:14:16	
1056.0	25.0	12.4	68.8	00:14:16	
1057.0	25.0	12.4	68.5	00:14:17	
1058.0	25.0	12.4	68.4	00:14:18	
1059.0	25.0	12.4	68.0	00:14:19	
1060.0	25.0	12.4	67.9	00:14:20	
1061.0	25.0	12.4	67.5	00:14:21	
1062.0	25.0	12.4	67.5	00:14:22	
1063.0	25.0	12.4	67.4	00:14:23	
1064.0	25.0	12.4	67.2	00:14:24	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
1065.0	25.0	12.4	67.0	00:14:24	
1066.0	25.0	12.4	67.0	00:14:25	
1067.0	25.0	12.4	66.9	00:14:26	
1068.0	25.0	12.4	66.9	00:14:27	
1069.0	25.0	12.4	67.3	00:14:28	
1070.0	25.0	12.4	67.3	00:14:29	
1071.0	25.0	12.4	67.2	00:14:30	
1072.0	25.0	12.4	67.0	00:14:31	
1073.0	25.0	12.4	66.7	00:14:32	
1074.0	25.0	12.4	66.7	00:14:33	
1075.0	25.0	12.4	66.7	00:14:33	
1076.0	25.0	12.4	66.8	00:14:34	
1077.0	25.0	12.4	66.4	00:14:35	
1078.0	25.0	12.4	66.2	00:14:36	
1079.0	25.0	12.4	65.9	00:14:37	
1080.0	25.0	12.4	65.8	00:14:38	
1081.0	25.0	12.4	65.8	00:14:39	
1082.0	25.0	12.4	66.1	00:14:40	
1083.0	25.0	12.4	66.2	00:14:41	
1084.0	25.0	12.4	65.7	00:14:42	
1085.0	25.0	12.4	64.9	00:14:43	
1086.0	25.0	12.4	64.6	00:14:43	
1087.0	25.0	12.4	64.1	00:14:44	
1088.0	25.0	12.5	64.0	00:14:45	
1089.0	25.0	12.6	63.9	00:14:46	
1090.0	25.0	12.7	64.3	00:14:47	
1091.0	25.0	12.7	64.9	00:14:48	
1092.0	25.0	12.7	65.7	00:14:49	
1093.0	25.0	12.7	66.0	00:14:50	
1094.0	25.0	12.7	66.4	00:14:51	
1095.0	25.0	12.7	66.8	00:14:52	
1096.0	25.0	12.7	67.5	00:14:53	
1097.0	25.0	12.7	67.9	00:14:54	
1098.0	25.0	12.7	68.5	00:14:54	
1099.0	25.0	12.7	68.9	00:14:55	
1100.0	25.0	12.7	69.0	00:14:56	
1101.0	25.0	12.7	69.0	00:14:57	
1102.0	25.0	12.7	69.1	00:14:58	
1103.0	25.0	12.7	69.2	00:14:59	
1104.0	25.0	12.7	69.0	00:15:00	
1105.0	25.0	12.7	68.8	00:15:00	
1106.0	25.0	12.7	68.6	00:15:01	
1107.0	25.0	12.7	68.4	00:15:02	
1108.0	25.0	12.7	68.5	00:15:03	
1109.0	25.0	12.7	68.3	00:15:04	
1110.0	25.0	12.7	68.4	00:15:05	
1111.0	25.0	12.7	68.3	00:15:06	
1112.0	25.0	12.7	68.3	00:15:07	
1113.0	25.0	12.7	68.2	00:15:07	
1114.0	25.0	12.7	68.3	00:15:08	
1115.0	25.0	12.7	68.3	00:15:09	
1116.0	25.0	12.7	68.3	00:15:10	
1117.0	25.0	12.7	68.3	00:15:11	
1118.0	25.0	12.7	68.4	00:15:12	
1119.0	25.0	12.7	68.4	00:15:13	
1120.0	25.0	12.7	68.9	00:15:14	
1121.0	25.0	12.7	68.8	00:15:15	
1122.0	25.0	12.7	68.8	00:15:15	
1123.0	25.0	12.7	68.4	00:15:16	
1124.0	25.0	12.7	68.5	00:15:17	
1125.0	25.0	12.7	68.1	00:15:18	
1126.0	25.0	12.7	68.0	00:15:19	
1127.0	25.0	12.7	68.0	00:15:20	
1128.0	25.0	12.7	67.9	00:15:21	
1129.0	25.0	12.7	67.8	00:15:22	
1130.0	25.0	12.7	67.7	00:15:22	
1131.0	25.0	12.7	67.7	00:15:23	
1132.0	25.0	12.7	67.6	00:15:24	
1133.0	25.0	12.7	67.4	00:15:25	
1134.0	25.0	12.7	67.0	00:15:26	
1135.0	25.0	12.7	66.7	00:15:27	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
1136.0	25.0	12.8	66.6	00:15:28	
1137.0	25.0	12.9	66.7	00:15:29	
1138.0	25.0	13.0	66.9	00:15:30	
1139.0	25.0	13.0	67.5	00:15:30	
1140.0	25.0	13.0	68.2	00:15:31	
1141.0	25.0	13.0	68.9	00:15:32	
1142.0	25.0	13.0	69.5	00:15:33	
1143.0	25.0	13.0	70.0	00:15:34	
1144.0	25.0	13.0	70.0	00:15:35	
1145.0	25.0	13.0	70.3	00:15:36	
1146.0	25.0	13.0	70.4	00:15:36	
1147.0	25.0	13.0	70.4	00:15:37	
1148.0	25.0	13.0	70.5	00:15:38	
1149.0	25.0	13.0	70.4	00:15:39	
1150.0	25.0	13.0	70.4	00:15:40	
1151.0	25.0	13.0	70.3	00:15:41	
1152.0	25.0	13.0	70.2	00:15:42	
1153.0	25.0	13.0	70.1	00:15:43	
1154.0	25.0	13.0	69.9	00:15:43	
1155.0	25.0	13.0	69.7	00:15:44	
1156.0	25.0	13.0	69.6	00:15:45	
1157.0	25.0	13.0	69.5	00:15:46	
1158.0	25.0	13.0	69.1	00:15:47	
1159.0	25.0	13.0	69.0	00:15:48	
1160.0	25.0	13.0	68.7	00:15:49	
1161.0	25.0	13.0	68.3	00:15:49	
1162.0	25.0	13.0	68.4	00:15:50	
1163.0	25.0	13.0	68.3	00:15:51	
1164.0	25.0	13.0	68.0	00:15:52	
1165.0	25.0	13.0	67.6	00:15:53	
1166.0	25.0	13.0	67.1	00:15:54	
1167.0	25.0	13.0	66.6	00:15:55	
1168.0	25.0	13.0	66.2	00:15:56	
1169.0	25.0	13.1	65.9	00:15:57	
1170.0	25.0	13.3	65.7	00:15:58	
1171.0	25.0	13.3	65.8	00:15:58	
1172.0	25.0	13.3	66.2	00:15:59	
1173.0	25.0	13.4	66.6	00:16:00	
1174.0	25.0	13.4	67.2	00:16:01	
1175.0	25.0	13.4	67.7	00:16:02	
1176.0	25.0	13.4	68.2	00:16:03	
1177.0	25.0	13.4	68.6	00:16:04	
1178.0	25.0	13.4	68.6	00:16:05	
1179.0	25.0	13.4	68.5	00:16:06	
1180.0	25.0	13.4	68.3	00:16:06	
1181.0	25.0	13.4	68.2	00:16:07	
1182.0	25.0	13.4	68.1	00:16:08	
1183.0	25.0	13.4	68.0	00:16:09	
1184.0	25.0	13.4	68.0	00:16:10	
1185.0	25.0	13.4	68.1	00:16:11	
1186.0	25.0	13.4	67.8	00:16:12	
1187.0	25.0	13.4	67.8	00:16:13	
1188.0	25.0	13.4	67.8	00:16:13	
1189.0	25.0	13.4	68.0	00:16:14	
1190.0	25.0	13.4	68.0	00:16:15	
1191.0	25.0	13.4	67.8	00:16:16	
1192.0	25.0	13.4	67.9	00:16:17	
1193.0	25.0	13.4	67.8	00:16:18	
1194.0	25.0	13.4	68.0	00:16:19	
1195.0	25.0	13.4	68.1	00:16:20	
1196.0	25.0	13.4	68.0	00:16:20	
1197.0	25.0	13.4	68.1	00:16:21	
1198.0	25.0	13.4	68.1	00:16:22	
1199.0	25.0	13.4	68.1	00:16:23	
1200.0	25.0	13.6	68.3	00:16:24	
1201.0	25.0	13.7	68.4	00:16:25	
1202.0	25.0	13.7	68.6	00:16:26	
1203.0	25.0	13.8	69.0	00:16:27	
1204.0	25.0	13.8	69.5	00:16:28	
1205.0	25.0	13.8	69.9	00:16:28	
1206.0	25.0	13.8	70.1	00:16:29	

Length [m]	Pushing Force [N]	Duct pressure [bar]	Speed [m/min]	Time - Duration [hh:mm:ss]	Remarks
1207.0	25.0	13.8	70.2	00:16:30	
1208.0	25.0	13.8	70.2	00:16:31	
1209.0	25.0	13.8	70.2	00:16:32	
1210.0	25.0	13.8	70.1	00:16:33	
1211.0	25.0	13.8	70.1	00:16:34	
1212.0	25.0	13.8	70.2	00:16:34	
1213.0	25.0	13.8	70.2	00:16:35	
1214.0	25.0	13.8	70.3	00:16:36	
1215.0	25.0	13.8	70.2	00:16:37	
1216.0	25.0	13.8	70.3	00:16:38	
1217.0	25.0	13.8	70.5	00:16:39	
1218.0	25.0	13.8	70.7	00:16:39	
1219.0	25.0	13.8	70.8	00:16:40	
1220.0	25.0	13.8	70.7	00:16:41	
1221.0	25.0	13.8	70.7	00:16:42	
1222.0	25.0	13.8	70.5	00:16:43	
1223.0	25.0	13.8	70.4	00:16:44	
1224.0	25.0	13.8	70.2	00:16:45	
1225.0	25.0	13.8	70.1	00:16:45	
1226.0	25.0	13.8	69.9	00:16:46	
1227.0	25.0	13.8	70.1	00:16:47	
1228.0	25.0	13.8	69.7	00:16:48	
1229.0	25.0	13.8	69.7	00:16:49	
1230.0	25.0	13.8	69.3	00:16:50	
1231.0	25.0	13.8	69.2	00:16:51	
1232.0	25.0	13.8	68.8	00:16:51	
1233.0	25.0	13.8	68.7	00:16:52	
1234.0	25.0	13.8	68.4	00:16:53	
1235.0	25.0	13.8	68.3	00:16:54	
1236.0	25.0	13.8	68.0	00:16:55	
1237.0	25.0	13.8	67.7	00:16:56	
1238.0	25.0	13.8	67.4	00:16:57	
1239.0	25.0	13.8	67.2	00:16:58	
1240.0	25.0	13.7	66.9	00:16:59	
1241.0	25.0	13.8	66.8	00:16:59	
1242.0	25.0	13.8	66.5	00:17:00	
1243.0	25.0	13.8	66.1	00:17:01	
1244.0	25.0	13.8	65.9	00:17:02	
1245.0	25.0	13.8	65.7	00:17:03	
1246.0	25.0	13.8	65.4	00:17:04	
1247.0	25.0	13.8	65.3	00:17:05	
1248.0	25.0	13.7	65.1	00:17:06	
1249.0	25.0	13.8	65.0	00:17:07	
1250.0	25.0	13.8	65.1	00:17:08	
1251.0	25.0	13.8	64.9	00:17:09	
1252.0	25.0	13.8	64.8	00:17:09	
1253.0	25.0	13.8	64.6	00:17:10	
1254.0	25.0	13.7	64.3	00:17:11	
1255.0	25.0	13.7	64.0	00:17:12	
1256.0	25.0	13.7	63.7	00:17:13	
1257.0	25.0	13.7	63.4	00:17:14	
1258.0	25.0	13.7	62.8	00:17:15	
1259.0	25.0	13.7	61.8	00:17:16	
1260.0	23.4	13.8	55.1	00:17:17	
1260.1	0.3	13.7	2.0	00:17:35	Stop (10:25)